



**GL.OS**



## GLOS SRL

The company at your service to simplify your construction work...and more.

Glos Srl is an Italian company specializing in industrial mechanics, applied to important sectors such as construction, industry, and the paint sector.

Extensive experience meets a precise production philosophy: offering industry professionals useful technological solutions, designed to address specific work needs. The efficiency and functionality of Glos Srl equipment are the result of the finest Made in Italy quality.



Offering quality means understanding the true needs of professionals, to create truly useful and anticipated technological solutions.

This is the production philosophy of GLOS, a company that boasts extensive experience in the construction and shipbuilding engineering sector.

Following this principle, GLOS has created various products. Our brands include:

# POLY *CUT*

THE PROFESSIONAL CUTTER FOR EXPANDED POLYSTYRENE THAT GUARANTEES THE MAXIMUM PRECISION AND CLEAN CUTTING, SIMPLY AND FAST.

# Blender Glos

PATENTED AND CERTIFIED MIXER FOR WATER-BASED PAINTS AND THICKNESS COATING PRODUCTS.

# Glos Wash Station

QUICK WASHING STATION, IDEAL FOR CLEANING AND DRYING OBJECTS WITH WATER.

# thermolight

PROFESSIONAL FAN HEATER



All our products are  
**HEAVY DUTY**

**MADE IN ITALY**





## INDEX

<b>POLICUT PROFESSIONAL CUTTERS</b>	<b>p. 5</b>
<b>TWIN SERIES</b> TWIN series self-supporting cutters for EPS/XPS	<b>p. 6</b>
<b>EASY SERIES</b> Scaffolding cutters EASY series for eps/xps	<b>p. 8</b>
<b>BASIC SERIES</b> BASIC series self-supporting cutters for EPS/XPS	<b>p. 11</b>
<b>MANUAL CUTTERS</b>	<b>p. 15</b>
<b>MINICUT</b> Manual cutters for EPS/XPS	<b>p. 16</b>
<b>HOT KNIFE</b> Hot knife for manual cutting of EPS/XPS	<b>p. 18</b>
<b>ACCESSORIES AND SPARE PARTS</b>	<b>p. 20</b>
<b>MINERAL FIBER CUTTERS</b>	<b>p. 21</b>
<b>FIBER CUT</b> Mineral fiber cutter	<b>p. 22</b>
<b>TERMOLIGHT</b> Fan heater	<b>p. 24</b>
<b>ACCESSORIES</b>	<b>p. 26</b>
<b>REPLACEMENT WIRE</b>	<b>p. 27</b>
<b>MIXING EQUIPMENT</b>	<b>p. 31</b>
<b>BLENDER GLOS</b> Deep mixer for coatings and stuccos	<b>p. 32</b>
<b>GLOS WASH STATION</b> Eco-friendly washing station	<b>p. 34</b>
<b>MIX GLOS SYSTEM</b> GLOS mixing station	<b>p. 36</b>
<b>TERMS OF SALE</b>	<b>p. 38</b>



# PROFESSIONAL CUTTERS

## POLICUT

TAGLIERINE PROFESSIONALI - PROFESSIONAL CUTTERS

Per tagli ortogonali di precisione su Polistirolo espanso.  
*For cutting polystyrene panels with precise perpendicular cuts.*

**GAMMA SERIES**



**GLOS**

# POLICUT Twin 20/30

**POLICUT TWIN is the professional cutter for EPS/XPS panels for precise, defined and rapid cuts**



POLICUT TWIN, the professional aluminium and stainless steel cutter for EPS/XPS polystyrene panels that guarantees maximum precision and clean cutting, in a simple, fast and flexible way.

It can be ordered with a cutting depth of 20cm or 30cm.



CUT TO



CUT B



CUT C



CUT D



CUT AND



CUT F

PRECISION CUTTING 45° LEFT AND 45° RIGHT

FULL THICKNESS PRECISION CUTTING

PRECISION CUTTING GROOVES

PRECISION DIAGONAL CUTTING

SCAFFOLDING ATTACHMENT

DO YOU WANT TO KNOW?

MOREOVER?


FRAME THE  
QR code



## POLICUT TWIN 20/30

### TECHNICAL CHARACTERISTICS

Max. cutting size	1320 mm
Cutting depth	210-310 mm
Closed machine	1570x600/700x205 mm
Weight	14 kg



**Cod. TWIN 120-20**

**Price €1,299.00**

**Cod. TWIN 120-30**

**Price €1,299.00**



# POLICUT Easy 20/30

**Top of the range: productivity and possibility of large-scale cuts.**

## POLICUT EASY

Professional transportable machine, makes all types of cuts in various sizes.

Materials and construction technologies guarantee great reliability and durability.

Policut 1200 is at the top of productivity on the construction site, guaranteeing the completion of work according to the rules of the art.

The self-supporting support also allows for use as a free-standing unit.



CUT TO



CUT B



CUT C



CUT D



CUT AND



CUT F

**TRANSPORTABLE**

**RESISTANT**

**PROFESSIONAL**

**SELF-SUPPORTING SUPPORT**


## **POLICUT EASY 1200 20/30**

### **TECHNICAL CHARACTERISTICS**

Max. cutting size	1320 mm
Cutting depth	210-310 mm
Closed machine	1570x600/700x205 mm
Weight	14 kg

**DO YOU WANT TO KNOW?  
MOREOVER?**

**FRAME THE  
QR code**



**Cod. EASY 120-20**

**Price €995.00**

**Cod. EASY 120-30**

**Price €995.00**



## POLICUT EASY 1000/20/30

The right compromise on the construction site: lightness and productivity.

Professional machine, easy to transport and capable of performing all types of cuts. Policut 1000 can produce perfect cuts even on large panels. The machine features a self-supporting support stand that allows for easy use while resting.

Max. cutting size	1110 mm
Cutting depth	210-310 mm

<b>Cod. EASY 100-20</b>	<b>Price €975.00</b>
<b>Cod. EASY 100-30</b>	<b>Price €975.00</b>



## POLICUT EASY 70/20/30

The most compact and lightest cutter in the Easy range produced by Glos.

Thanks to its weight and small size, Policut 700 is the ideal machine for cutting on very high scaffolding or in places that are difficult to reach.

Max. cutting size	645 mm
Cutting depth	210-310 mm

<b>Cod. EASY 70-20</b>	<b>Price €945.00</b>
<b>Cod. EASY 70-30</b>	<b>Price €945.00</b>

**ARE YOU INTERESTED? CONTACT US**

**Tel. 0522 967690 - [info@glos.it](mailto:info@glos.it)**



[www.glos.it](http://www.glos.it)



# PROFESSIONAL CUTTERS

## POLICUT

TAGLIERINE PROFESSIONALI - PROFESSIONAL CUTTERS

Per tagli ortogonali di precisione su Polistirolo espanso.  
*For cutting polystyrene panels with precise perpendicular cuts.*

**BASIC SERIES**



**GLOS**



# POLICUT Twin Basic

**BASIC is the new range of self-supporting cutters, with an on-board continuous-service transformer, for EPS/XPS panels for precise, defined and rapid cuts.**

## TECHNICAL CHARACTERISTICS

Max. cutting size	1095 mm
Cutting depth	330 mm
Closed machine	1430x635x200 mm
Weight	14.5 kg



**Cod. TWINBASIC 100SCC**

**Price €928.00**

**Cod. TWINBASIC 100S**

**Price €803.00**

**Cod. CAVABASIC**

**Price €179.00**



CUT TO



CUT B



CUT C



CUT D



CUT AND



CUT F

**ADJUSTABLE KICKSTAND**

**WALL SUPPORT**

**UNIVERSAL SUPPORT FOR SCAFFOLDING**

**PRECISION GONIOMETERS**

**LIGHT SWITCH**

**TECHNICAL CHARACTERISTICS**

Max. cutting size	1320 mm
Cutting depth	330 mm
Closed machine	1660x635x200 mm
Weight	15.5 kg

DO YOU WANT TO KNOW?

MOREOVER?

**FRAME THE  
QR code**



**Cod. TWINBASIC 120SCC**

**Price €998.00**

**Cod. TWINBASIC 120S**

**Price €880.00**

**Cod. CAVABASIC**

**Price €179.00**



## EASY BASIC 120-30

The right compromise on the construction site: lightness and productivity.

Professional machine, easy to transport and capable of performing all types of cuts. Policut 1000 can produce perfect cuts even on large panels. The machine features a self-supporting support stand that allows for easy use while resting.

Max. cutting size	1110 mm
Cutting depth	210-310 mm

<b>Cod. EASYBASIC 120CC</b>	<b>Price</b>	<b>€888.00</b>
<b>Code EASYBASIC 120</b>	<b>Price</b>	<b>€763.00</b>
<b>Cod. CAVABASIC</b>	<b>Price</b>	<b>€179.00</b>



## EASY BASIC 100-30

Professional machine, easy to transport and capable of all types of cuts. It can make perfect cuts even on large panels. The machine features a self-supporting stand that allows for easy use while resting.

Ideal for use on scaffolding given its small size and weight.

Max. cutting size	1095 mm
Cutting depth	330 mm

<b>Cod. EASYBASIC100CC</b>	<b>Price</b>	<b>€844.00</b>
<b>Code: EASYBASIC100</b>	<b>Price</b>	<b>€719.00</b>
<b>Cod. CAVABASIC</b>	<b>Price</b>	<b>€179.00</b>



## EASY BASIC 70-30

Professional machine, easy to transport and capable of all types of cuts. It can produce perfect cuts even on large panels. The machine features a self-supporting support stand that allows for easy use while resting. The ideal solution for special applications on scaffolding to make specific serial cuts.

Max. cutting size	640 mm
Cutting depth	330 mm

<b>Code EASYBASIC 70</b>	<b>Price</b>	<b>€695.00</b>
--------------------------	--------------	----------------

# MANUAL CUTTERS

## MINICUT and HOTKNIFE





# MINICUT

**Manual cutter for precision cutting with intermittent operation. For use in free-cutting. Suitable for underbeams, jambs, and small precision jobs.**

Offering quality means understanding the true needs of professionals, to create truly useful and anticipated technological solutions. This is the production philosophy of GLOS, a company with extensive experience in the construction and shipbuilding engineering sector. Following this principle, GLOS has created the MINICUT, a small, easy-to-handle, and versatile cutter for special and extremely precise cuts.



**ERGONOMIC HANDLE**

**PLEXIGLASS SUPPORT**

**VERSATILE TRANSFORMER**

Cutting thickness: 200/360 mm  
Depth: 400 mm

DO YOU WANT TO KNOW?  
MOREOVER?

**FRAME THE  
QR code**



**Cod. MINICUT**

**Price €336.00**

**Cod. MINICUT S/T**

**Price €260.00**



# HOTKNIFE

**Intermittent hot knife. 30 sec.**

**ON/50 sec. OFF**

**230 V - 50/60 HZ - 2.5V - 130W**

**150 mm blade (effective cut)**

Thermal circuit breaker with automatic tripping at 120 degrees on transformer (automatic reset).

Supplied in a lined plastic case - hex screwdriver - 1 x 150 mm blade - 1 x 120 mm wire blade - 1 stainless steel support slide for cuts from 0° to 90°.



**STAINLESS STEEL SLIDE FOR RECESSES AND TRACKS**

**STAINLESS STEEL SLIDE FOR BLIND HOLES**

**ELECTRODES FOR RECESSES AND TRACKS**

**ELECTRODES FOR BLIND HOLES**

Cutting thickness: 200/360 mm  
Depth: 400 mm

DO YOU WANT TO KNOW?  
MOREOVER?

**FRAME THE  
QR code**



**Code: CHAMFERING MACHINE**

**Price € 209,00**

## ACCESSORIES AND SPARE PARTS



**Cod. BISELLO1**      **Price €119.00**



**Cod. BISELLO2**      **Price €88.00**



**Cod. BISELKIT2**      **Price €29.00**



**Cod. BISELKIT3**      **Price €21.00**

## REPLACEMENT BLADES



**Cod. BISELAMA 150**      **Price €36.00**



**Cod. BISELAMA 200**      **Price €47.00**



# FIBERCUT

PROFESSIONAL CUTTER FOR MINERAL FIBERS





# FIBERCUT

**FIBERCUT is the innovative professional cutter for mineral fiber, glass wool, and foam panels where hot wire cutters cannot be used. Precise, clean, and fast cuts.**

Thanks to the very large support surface and the centimeter-marked guide plates, the operator can work with stability and precision. Furthermore, the use of retractable lateral references that slide on the support plate allows for consistent and precise cuts.

The machine is easily transportable and requires no assembly. Strength, durability, and lightness are ensured by the use of high-quality aluminum profiles and polymer alloys.





**JAW SYSTEM**

**PANEL LOCK BAR**

**ADJUSTABLE SUPPORT**

**FALL PROTECTION SUPPORT**

**CUTTING ARCH**

**TECHNICAL CHARACTERISTICS**

Max. cutting size	1280 mm
Cutting depth	235 mm
Dimensions	1750x416x200 mm
Weight	21 kg

DO YOU WANT TO KNOW?

MOREOVER?

**FRAME THE  
QR code**



**Cod. FIBERCUT 120-20**

**Price €1299.00**

**FIBERCUT KNIFE**

**Supplied**




# TERMOLIGHT

**TERMOLIGHT was born  
specifically for  
the painter and the decorator.**

DO YOU WANT TO KNOW?  
MOREOVER?

**FRAME THE  
QR code**



Obviously to speed up drying in extreme conditions with low temperatures and high humidity.

The ventilation is 1600m<sup>3</sup>h, and therefore, transported into a 5x5 room with a height of 280cm, 70 cubic meters of air are maneuvered by the fan against the lamps 22 times an hour, unlike an electric heater which acts only 7 times an hour.

**Cod. TMLIGHT**

**Price €495.00**

WITH EASEL

**Cod. TMLIGHT S/C**

**Price €410.00**

WITHOUT STAND

1

Le 2 lampade professionali irradiano una chiara luce diffusa che appiattisce il lavoro ed evidenzia eventuali irregolarità, per assicurare risultati di grande qualità.

2

La centralina resiste all'umidità e permette di gestire l'autonomia differenziata delle lampade consentendo un ottimo risparmio energetico.

3

La potente ventola consente una circolazione dell'aria capace di scaldare 1800 m<sup>3</sup>/h, a garanzia di una asciugatura sempre veloce e uniforme.

4

Tutta la componentistica del termoventilatore è prodotta in Europa ed è certificata CE: la completa conformità alle direttive europee soddisfa i più elevati standard di qualità e di sicurezza.

## TECHNICAL CHARACTERISTICS

Power	2025W
Cubic meters/h	1600
Kilo calories	1800
Operation	220/230V 50Hz
Weight	5kg





# Accessories

 <p><b>TRANSFORMER</b></p> <p>Universal transformer for Policut cutters</p> <p><b>€143.00</b></p>	 <p><b>CAVABASIC</b></p> <p>Removable easel for Basic Series cutters</p> <p><b>€179.00</b></p>
 <p><b>5000142</b></p> <p>Pack of 10 10A fuses 6.35x32</p>	 <p><b>EAST</b></p> <p>Support stand TMLIGHT thermal lamp</p> <p><b>€159.00</b></p>
 <p><b>FIBERLAMA 40</b></p> <p>Mineral wool knife</p> <p><b>€61.30</b></p>	 <p><b>WOODPECKER</b></p> <p>Needle scaler with universal SDS attachment adaptable to all the hammer drills. Quick coupling. Polymer handle. For iron, concrete, marble and wood.</p>
 <p><b>BOB FIL.08MT20</b></p> <p>Replacement thread spool diam. 0.8 and 0.6 for 20 meter cutters</p> <p><b>€66.00</b></p>	 <p><b>BOB FIL.08MT30</b></p> <p>Replacement thread spool diam. 0.8 and 0.6 for 30 meter cutters</p> <p><b>€77.00</b></p>



**WOODPECKER12 €135.00**

**WOODPECKER19 €243.00**

**SPARE PARTS  
PICCHIO12R €44.70  
PICCHIO19R €58.00**

## first series



**POLICUT 1200**  
**POLICUT 1000**



**THREAD 1200**  
**THREAD 1000**

Replacement wire for cutter  
Policut 1200 and 1000

**€12.10**

## second series



**POLICUT 1200 TWIN GAMMA / 1200**  
**POLICUT 1200 GAMMA / EASY 1000/1200**



**FILO 1200 GAMMA**

Replacement wire for Policut  
1200 Twin Gamma cutter and  
Easy 1000 and 1200 range

**€12.10**

## third series



**POLICUT 1200 TWIN BASIC / EASY BASIC 1200**  
**POLICUT 1200 / EASY 1000**



**DELTA THREAD**

Replacement wire for cutter **Policut**  
**1200 Twin Basic / Easy Basic 1200**  
and **Policut 1200 / Easy 1000**

**€12.10**



## GLOS SERVICE

GLOS SRL has always stood out for its after-sales assistance to its customers.

Our customer satisfaction is very important.

A quick and timely response ensures continuity of work on the construction site.

**Call us at +39 0522 967690 or write to us at [info@glos.it](mailto:info@glos.it)**

We will be happy to assist you.

We will advise you in the best way to solve your problem with our products.



# EQUIPMENT FOR THE MIXING

## Blender Glos

PATENTED AND CERTIFIED MIXER FOR WATER-BASED PAINTS AND THICKNESS COATING PRODUCTS.

## Glos Wash Station

QUICK WASHING STATION, IDEAL FOR CLEANING AND DRYING OBJECTS WITH WATER.

## Mix GlosSystem®

MIXING STATION WITH CERTIFIED PROCESS





# Blender GLOS

**The mixer for water-based paints and thick coating products.**



Professional column system that prevents air from being trapped and keeps the product's structure intact.



**QUALITY**

**PRACTICALITY**

**SPECIFIC ACCESSORIES**

**TIME AND RESOURCE OPTIMIZATION**

**EASE OF USE**

**OPERATIONAL VERSATILITY**

**PRODUCTIVITY**

**COMPLETE AFTER-SALES ASSISTANCE**

**ORIGINAL SPARE PARTS**

**SPECIFIC CONSULTANCY**

DO YOU WANT TO KNOW?

MOREOVER?

**FRAME THE  
QR code**





# GLOS Wash Station

**The quick, safe and easy to use washing station.**

Ideal for cleaning objects in contact with  
water-based materials.  
Efficient and eco-friendly.





**EFFICIENT CLEANING**

**PRODUCTION LINE**

**ECO-FRIENDLY TECHNOLOGY**

**LOW WASTE DISPOSAL COSTS**

**COMPLETE AFTER-SALES ASSISTANCE**

**DO YOU WANT TO KNOW?**

**MOREOVER?**

**FRAME THE  
QR code**



Encumbrance:

H.1460 - Ø570 - P 415 mm

Weight:

35 kg.

H2O capacity:

30 liters

Operation:

manual

Diet:

Compressed air 350 l/min.

Finishes:

Footwell coated with epoxy powder in the oven.  
Thermoformed tub.

Accessories:

Installation keys (dome, valve) Sanitizing  
additive. Stainless steel footwell.

Optional:

# GLOS mixing station

## MIX GLOS SYSTEM

The ideal, complete solution for the color mixing room.

Efficient.

Order.

Cleaning.

### DOUBLE HEAD

Dedicated accessory for mixing in oval milk containers. Easily interchangeable with the whisk for cylindrical milk containers, thanks to the same bayonet connection system.




DEEP POOL

MECHANICAL FILTERING

SERVO ROLLER CONVEYORS

PATENTED SYSTEM





# Terms of sale

These conditions of sale apply to all supplies of goods of any kind made by GLOS srl (hereinafter referred to as the Supplier). Any written or verbal commitments by agents, distributors, and collaborators of GLOS srl are not binding on the latter unless expressly confirmed by written approval of the latter.

## **Transport**

Shipping is provided exclusively with partner couriers, unless otherwise agreed.

## **Prices**

All list prices are per piece and exclude VAT and shipping.

## **Payments**

In the event of late payment beyond the terms agreed upon in the order, default interest will be applied at the rate established by Article 5 of Legislative Decree 231/02. Default interest will accrue automatically, without the need for formal notice, from the expiration of the payment term indicated on the invoice. The Supplier will be entitled to reimbursement for costs incurred to recover unpaid amounts, as well as any additional damages suffered, and to the return of the delivered products, at the Customer's expense. Any payment irregularities authorize the Supplier to cancel or suspend supply of the products to the Customer.

## **Defective/missing goods**

Any defect or shortage of goods must be reported in writing to the Supplier within eight days of the delivery date. Total or partial returns of goods will not be accepted unless previously authorized by the Supplier.

Any anomaly, damage, or missing item must be noted on the transport document in the presence of the carrier, noting the wording "goods accepted subject to inspection," specifying the damage found. Claims will not be accepted unless the above is complied with by the Customer.

## **Retention of title**

The goods remain the property of the Supplier until full payment of the price.

### **Compensation for damages to the customer**

In the event of incorrect order fulfillment, the Supplier is liable for the value of the goods ordered, and in no case for a higher value. The Supplier is never liable for any damage caused by incorrect use of the product sold.

## **Factoring clause**

The Supplier has the right to assign its credit towards the Customer to third parties.

### **Return of goods**

Goods are returned carriage paid starting from €500.00 (net of discounts). For lower amounts, a €15.00 shipping fee will be charged.

## **Jurisdiction and competence**

For any dispute, the parties elect Italian jurisdiction and the exclusive jurisdiction of the court of Reggio Emilia.

## **PRIVACY**

The Supplier's processing of Customer data is carried out exclusively for purposes related to fulfilling the obligations undertaken and for any other legal obligations.





GL.OS Srl, managed and coordinated by Skt Sagl - Via Basilicata, 16 - 42028 Poviglio (RE)  
Tel. 0522 967690 - [www.glos.it](http://www.glos.it) - [info@glos.it](mailto:info@glos.it) - SDI: M5UXCR1